## PATENT ABSTRACTS OF JAPAN

(11)Publication number:

10-273875

(43) Date of publication of application: 13.10.1998

(51)Int.CI.

D06M 11/62 A61L 9/01 // D06M101:10

(21)Application number: 09-092865

28.03.1997

(71)Applicant : KOHJIN CO LTD

(72)Inventor: MORIMOTO AKIRA

INOUE MASAJI OKAMOTO KENJI BABA MINAE

## (54) COMPOSITION WITH ANTIMICROBIAL AND DEODORIZING PERFORMANCE

(57)Abstract:

(22)Date of filing:

PROBLEM TO BE SOLVED: To obtain the subject composition excellent in mechanical strength, feel of touch and productivity, by immersing protein fibers in a metal ammine complex alkaline solution so as to carry a lot of metal thereon.

SOLUTION: This composition consisting of protein fibers carrying metal thereon and having antimicrobial and deodorizing performance is obtained by immersing protein fibers such as wool, silk and feather in a metal ammine complex alkaline solution such as copper ammine complex, zinc ammine complex or silver ammine complex. Preferably, the composition is formed into such a shape or pattern as that of cotton, thread, braid, woven fabric, paper sheet, nonwoven fabric, powder, microbeads, film, sponge, honeycomb, cylinder or block so as to produce a formed product.

## **LEGAL STATUS**

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

PEST AVAILABLE COPY

#### \* NOTICES \*

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

## **CLAIMS**

## [Claim(s)]

[Claim 1] The constituent which has antibacterial deodorization and the deodorization engine performance which protein fibers were made to support a metal by being immersed in a metal ammine complex solution in protein fibers.

[Claim 2] The constituent which has the antibacterial deodorization according to claim 1 and the deodorization engine performance which are at least one kind chosen from the group which a metal ammine complex becomes from a copper ammine complex, a zinc ammine complex, and a silver ammine complex. [Claim 3] The manufacture approach of a constituent of having the antibacterial deodorization and the deodorization engine performance which consist of protein fibers which is characterized by being immersed in a metal ammine complex alkali solution in protein fibers, and which supported the metal.

[Claim 4] The manufacture approach according to claim 3 characterized by being the protein fibers to which pretreatment which protein fibers are immersed in an acid or an alkali water solution, and it rinses after that was performed.

[Claim 5] The manufacture approach according to claim 3 or 4 characterized by being at least one kind chosen from the group which a metal ammine complex becomes from a copper ammine complex, a zinc ammine complex, and a silver ammine complex.

[Claim 6] About a constituent according to claim 1 or 2, they are the shape of curdy and yarn, and a string, and textiles, and paper, a nonwoven fabric, powder, and a micro bead, and a film, and sponge, and a honeycomb, and the molding fabricated tubed or massive.

[Translation done.]

## \* NOTICES \*

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

#### DETAILED DESCRIPTION

## [Detailed Description of the Invention]

[0001]

[Field of the Invention] This invention relates to the constituent with which antibacterial deodorization nature and deodorization nature consist of good protein fibers. It is related with the constituent which has the antibacterial deodorization nature and deodorization nature which consist of protein fibers which supported the metal in detail.

[0002]

[Description of the Prior Art] Conventionally, there are much reports about the constituent which consists of protein fibers which supported the metal. For example, supporting and combining a metal phthalocyanine with protein fibers, such as wool, and obtaining deodorization nature fiber is indicated by JP,61-258078,A and JP,1-111067,A.

[0003] There is a report of JP,5-65191,B about the deodorization nature fiber which a metal ammine complex is made to act and is obtained on the other hand. It being immersed in a metal ammine complex solution in celluloses, carrying out the chemical bond of a metal and the cellulose to this official report, and obtaining a deodorization nature constituent is indicated.

[Problem(s) to be Solved by the Invention] However, there is still no report which a metal ammine complex is made to act on protein fibers, and obtains a deodorization nature protein fiber constituent. Moreover, the metaled support force over protein fibers is weak, this approach has a problem in wash endurance, and since the support rate is still slower, productivity is bad [ an approach ], although the method of being immersed in the dispersion liquid of copper carbonate or copper hydroxide in protein fibers, and making protein fibers support a metal directly is also considered about the deodorization nature protein fiber constituent which consists of protein fibers which supported the metal directly. Moreover, in order to improve the metaled support force and metaled support rate to protein fibers in said approach, when pretreatment special to protein fibers etc. is performed, there are problems, such as spoiling the front face (aesthetic property) and physical characteristic (reinforcement) of protein fibers before pretreatment.

[0005] That is, this invention is excellent in the metaled support nature (the support force and support rate) to protein fibers, and makes it a technical problem to offer the constituent which has the antibacterial deodorization and deodorization nature which consist of protein fibers which supported directly the metal which does not spoil the front face (aesthetic property) or physical characteristic (reinforcement) of protein fibers before processing.

[0006]

[Means for Solving the Problem] This invention is as follows.

- 1. Constituent which has antibacterial deodorization and deodorization engine performance which protein fibers were made to support metal by being immersed in metal ammine complex solution in protein fibers.
- 2. Constituent which has antibacterial deodorization and deodorization engine performance of one abovementioned publication which are at least one kind chosen from group which metal ammine complex becomes from copper ammine complex, zinc ammine complex, and silver ammine complex.
- 3. Manufacture approach of constituent of having antibacterial deodorization and deodorization engine performance which consist of protein fibers which is characterized by being immersed in metal ammine complex alkali solution in protein fibers, and which supported metal.
- 4. Manufacture approach of three above-mentioned publication characterized by being protein fibers to which pretreatment which protein fibers are immersed in acid or alkali water solution, and it rinses after that was performed.

- 5. Manufacture approach the above 3 characterized by being at least one kind chosen from group which metal ammine complex becomes from copper ammine complex, zinc ammine complex, and silver ammine complex, or given in four.
- 6. About a constituent the above 1 or given in two, they are the shape of curdy and yarn, and a string, and textiles, and paper, a nonwoven fabric, powder, and a micro bead, and a film, and sponge, and a honeycomb, and the moldings fabricated tubed or massive.

In addition, the antibacterial deodorization nature as used in the field of this invention points out the effectiveness of preventing the nasty smell generated from a coccus etc. by the antibacterial action in order to prevent the nasty smell generated from Staphylococcus aureus etc., and deodorization nature points out the deodorization effectiveness over malodorous substances, such as a hydrogen sulfide, ammonia, various amines, various mercaptans, and formalin.

[0007] The constituent of this invention does the following effectiveness so.

- \*\* The metaled support force over protein fibers is strong. It excels in wash endurance.
- \*\* Don't spoil the front face (aesthetic property) or physical characteristic (reinforcement) of protein fibers before processing.
- \*\* Excel in the deodorization nature to a malodorous substance.
- \*\* Excel in the nasty smell prevention generated from a coccus etc. by the antibacterial action which a metal atom has.
- \*\* There is no performance degradation by wash.

[0008] Moreover, the manufacture approach of the constituent of this invention does the following effectiveness so.

- \*\* Protein fibers can be made to support a lot of metals.
- \*\* A metal supports very quickly to protein fibers.
- \*\* A metal ammine complex and the dirt by omission of metaled powder are not generated among a production process.
- \*\* It can produce continuously.
- \*\* \*\* \*\* are excelled in productivity.

[0009] Moreover, the moldings which fabricated the constituent of this invention does the following effectiveness so.

\*\* Since a metal ammine complex and the dirt by omission of metaled powder are not generated, there is very little contamination by powder adhesion in mold goods.

[0010] Hereafter, this invention is explained to a detail. If the compound containing basic nitrogen, such as ammonia or an amine, an imine, and an imidazole, is added to electrolytic solutions, such as the sulfate of metals, such as copper, zinc, and silver, a chloride, a nitrate, phosphate, acetate, and a hydroxide, a metal ammine complex will generate. Generally the metal complex has configurated one or more sorts of ligands. It is the same, and the ammine complex also made the ligand the compound containing basic nitrogen, such as ammonia or an amine, an imine, and an imidazole, and has configurated it one or more sorts. There is the number of the respectively most stable ligands according to a metaled class, for example, four ligands are stable when it is a copper complex. Although a chemical bond can be carried out to protein fibers with any coordination numbers, if the compound containing the aforementioned basic nitrogen more than a mole ratio which becomes a metal and the most stable form is added, a good metal ammine complex solution will be obtained. In alkalinity, this complex is stable, melts in water well, and gives a uniform metal ammine complex ion solution.

[0011] Although it is good without limit if the concentration of the aforementioned electrolyte is below solubility, and the scale factor to the electrolyte of the compound containing basic nitrogen is also good without limit, the water solution which contains a mol for the compound which contains basic nitrogen 0.5 to 30% of the weight by using the electrolyte concerned as a metal atom preferably four to 12 times to the electrolyte concerned is suitable. The amount of the metal ammine complex which will not be combined if there are few metal atoms concerned than 0.5 % of the weight, and a support rate will be slow and will increase more than 30 % of the weight also increases, and a loss increases in the case of washing after processing. Since all the electrolytes concerned do not become an ammine complex but precipitate as a hydroxide in part when the scale factor to the electrolyte concerned of the compound containing basic nitrogen is lower than the scale factor most formed in stability, sufficient support rate and the support force are not acquired about what precipitated.

[0012] In this way, if immersed in the obtained metal ammine complex solution in protein fibers, such as

wool'yarn, such as the shape of fibrous and a film, and massive, a silk, and feathers, metal ammine complex ion and protein fibers will react very quickly, and the constituent which has the antibacterial deodorization and the deodorization engine performance in which metal ammine complex ion and protein fibers carried out the chemical bond is given. This support is very quick and a cause deer also supports a metal firmly. The immersion time amount for about 30 seconds is enough practical. If a superfluous metal ammine complex is removed by deliquoring and rinsing this, the constituent which consists of protein fibers which supported the metal firmly will be obtained. The metal with which after rinsing is supported is carrying out the firm chemical bond to protein fibers.

[0013] Copper, zinc, and silver are mentioned as a metal which protein fibers are made to support. [0014] As protein fibers used in this invention, ingredients containing these, such as wool yarn, a silk, and feathers, are mentioned. Moreover, although the shape of fibrous and a film (the shape of the shape of textile fabrics and a nonwoven fabric), massive, etc. are mentioned as a configuration, the thing of the configuration which can be produced continuously is desirable.

[0015] The constituent of this invention can be obtained by being immersed in a metal ammine complex alkali solution in protein fibers as above-mentioned. By using this metal ammine complex alkali solution, protein fibers can be made to support a lot of metals very quickly, and the metal ammine complex from the supported protein fibers and the dirt by omission of metaled powder are not generated from the support force of the metal of protein fibers being still stronger. Furthermore it can produce continuously, and since the production rate is very quick, it excels in productivity.

[0016] Moreover, compared with what does not pretreat, a constituent with the strong support force with a quick and support rate can also be obtained by performing pretreatment immersed in an acid or an alkali water solution in the protein fibers (the protein fibers before processing) before being immersed in a metal ammine complex alkali solution. This is to hydrolyze proteinic peptide linkage partially and for the amino group and a carboxyl group to arise, if protein is contacted in an acid or an alkali water solution, and since the chemical bond of the amino group and a carboxyl group, and the metal ammine complex ion is carried out easily, its metaled support rate and metaled support force of protein fibers also improve. However, in order to raise a support rate and the support force, since the inclination for the front face (aesthetic property) and physical characteristic (reinforcement) of the protein fibers themselves to fall is shown when peptide linkage is made to hydrolyze, using in the next range is desirable [ the amino group and a carboxyl group are produced, that is, / the processing liquid used for pretreatment ]. (1) It is [50 or less % of the weight of concentration ] the alkali water solution of 1 - 20 % of the weight of concentration preferably the acid water solution of 1 - 20 % of the weight of concentration, or 50 or less % of the weight of (2) concentration. [0017] Together with the material of independent or others, the shape of curdy and yarn and a string and textiles and paper, a nonwoven fabric, powder, and a micro bead and a film and sponge and a honeycomb, tubed, massive, etc. can carry out processing shaping of the constituent of this invention obtained as mentioned above at all forms. Moreover, since the constituent of this invention itself has very little contamination by powder and there is still very less contamination by powder also in the time of processing, contamination by powder adhesion in mold goods has very few advantages. [0018]

[Example] Although an example is raised to below and this invention is explained to it, this invention is not limited to these. In addition, each evaluation approach of the constituent of an example is based on below. [0019] The schematic diagram of the equipment of a deodorization performance test deodorization performance test is shown in <u>drawing 5</u>. 1. Attach the connector with a cock in the fastener bag of 5L capacity as degassing opening, gas-charging opening, and an indicator tube entry beforehand. 1g of test portions is paid to a fastener bag, and after shutting a fastener completely and deaerating it, 1.5L enclosure of a 100 ppm hydrogen sulfide is done using a pump. Enclosure end time is made into 0 minute, and gas concentration is measured with a Kitagawa style indicator tube for every fixed time amount progress. In addition, the hydrogen-sulfide chemical cylinder beforehand prepared by 100 ppm was used for the hydrogen sulfide in evaluation of this example.

[0020] Wash trial JIS L-0217 It applied to 103 law correspondingly.

[0021] It applied to the number-of-microorganism measuring method of "the working effect evaluation trial manual of an antibacterial deodorization processing product" which an antibacterial trial textiles sanitary finishing conference defines correspondingly. In addition, Staphylococcus aureus was used for the trial fungus body in evaluation of this example.

[0022] In the copper-sulfate water solution of 13 % of the weight of examples, the aqueous ammonia of

concentration was added 25% of the weight, and the copper ammine complex water solution of a navy blue color was obtained so that ammonia might become the 6 time mol of a copper sulfate. At the room temperature, it was immersed for 30 seconds, subsequently purification wool was rinsed [deliquored it and] and dried, and the wool (constituent 1) which supported copper was obtained so that a bath ratio might increase to this 30 times. The evaluation result of the obtained constituent 1 was as follows. The deodorization engine performance to a hydrogen sulfide is shown in drawing 1. For a copper content, the content after 4.0% of the weight of constituent 1 Naka and a wash trial (10 times) is 3.9% of the weight. For an antibacterial test result, the antibacterial test result after 4.2 and a wash trial (10 times) is 4.0. Moreover, as compared with the purification wool which hits a raw material, the aesthetic property of the constituent 1 was comparable, and it showed the equivalent value as it also showed physical physical properties in Table 1.

[0023] [Table 1]

	精製羊毛	組成物 1
<ul><li>乾強度 (g/d)</li><li>湿潤強度 (g/d)</li><li>伸度 (%)</li></ul>	1. 4 1. 2 30	1. 4 1. 2 30

## [0024]

## [Drawing 1]

[0025] The aqueous ammonia of concentration was added to the water solution of the zinc sulfate of 23 % of the weight of examples 25% of the weight so that ammonia might become the 6 time mol of a zinc sulfate, and the transparent and colorless zinc ammine complex water solution was obtained. The feathers (constituent 2) which were immersed for 30 seconds, subsequently rinsed [deliquored them and] and dried the feathers for feather quilts at the room temperature, and supported zinc were obtained so that a bath ratio might increase to this 30 times. The evaluation result of the obtained constituent 2 was as follows. The deodorization engine performance to a hydrogen sulfide is shown in drawing 2. A zinc content is 3.8 % of the weight of constituent 2 Naka, and an antibacterial test result is 3.7. From this result, it is admitted that a constituent 2 has sufficient antibacterial deodorization and the deodorization engine performance.

## [Drawing 2]

[0027] In the silver chloride water solution of 33 % of the weight of examples, the aqueous ammonia of concentration was added 25% of the weight, and the silver ammine complex water solution was obtained so that ammonia might become the 6 time mol of a silver chloride. The silk fabrics (constituent 3) which were immersed for 30 seconds, subsequently rinsed [deliquored them and] and dried silk fabrics at the room temperature, and supported silver were obtained so that a bath ratio might increase to this 30 times. The evaluation result of the obtained constituent 3 was as follows. The deodorization engine performance to a hydrogen sulfide is shown in drawing 3. For a silver content, the content after 3.9 % of the weight of constituent 3 Naka and a wash trial (10 times) is 3.8 % of the weight. For an antibacterial test result, the antibacterial test result after 3.8 and a wash trial (10 times) is 3.6. From this result, it is admitted that a constituent 3 has sufficient antibacterial deodorization and the deodorization engine performance.

## [Drawing 3]

[0029] The activation wool (constituent 4) which supported copper like the example 1 was obtained except having used the pretreatment wool (activation wool) which was immersed for 10 minutes, deliquored, rinsed, subsequently dried, and obtained purification wool at the room temperature instead of the purification wool used for example 4 example 1 so that a bath ratio might increase in a sulfuric-acid water solution 30 times 5% of the weight. The evaluation result of the obtained constituent 4 was as follows. The deodorization engine performance to a hydrogen sulfide is shown in drawing 4. For a copper content, the content after 4.8 % of the weight of constituent 1 Naka and a wash trial (10 times) is 4.7 % of the weight. For an antibacterial test result, the antibacterial test result after 4.7 and a wash trial (10 times) is 4.6. From this result, it is admitted that a constituent 4 has sufficient antibacterial deodorization and the deodorization

engine performance.

[0030]

[Drawing 4]

[0031]

[Effect of the Invention] This constituent can be made to support a lot of metallic compounds according to the manufacture approach of this invention, without spoiling properties, such as reinforcement of this constituent, and aesthetic property. since [ moreover, ] it can be made to support very quickly and the dirt by omission of metallic-compounds powder is generated neither at a production process nor a processing process -- productivity -- excelling. Moreover, it carries out in this way, and properties, such as reinforcement of constituent original [ constituent / which were obtained / the antibacterial deodorization and the deodorization nature constituent ], and aesthetic property, are not spoiled, but react with malodorous substances, such as sulfur compounds, such as alkylamines, such as ammonia and a trimethylamine, a hydrogen sulfide, and methyl mercaptans, and formalin, and the remarkable deodorization engine performance is demonstrated. On the other hand, the antibacterial action which a metal atom has shows antibacterial [ strong ] to Staphylococcus aureus etc. Moreover, since metallic compounds are firmly supported by the constituent, they are excellent in wash endurance etc.


[Translation done.]


## \* NOTICES \*


JPO and NCIPI are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.


## **DRAWINGS**








[Drawing 4]





[Translation done.]

## (19)日本国特許庁 (JP) (12) 公開特許公報(A) (11)特許出職公開番号

特開平10-273875

(43)公開日 平成10年(1998)10月13日

(51) Int.CL.6 D 0 6 M 11/62 A61L 9/01 // D06M 101:10 FΙ

D06M 11/00

Z

A61L 9/01

Н

審査請求 未請求 請求項の数6 FD (全 5 頁)

(21)出願番号

特膜平9-92865

(71)出顧人 000142252

株式会社與人

(22)出廣日

平成9年(1997)3月28日

證別記号

東京都中央区日本橋室町4丁目1番21号

(72)発明者 森本 侃

大阪府豊中市寺内1丁目12番30号

(72) 発明者 井上 正次

兵庫県三田市広沢127-9

(72)発明者 岡本 賢二

熊本県八代都鏡町大字鏡村1106

(72)発明者 馬場 実苗

大阪府箕面市船場西3丁目8番11号

## (54) 【発明の名称】 抗菌防臭ならびに消臭性能を有する組成物

## (57)【要約】

【課題】 蛋白質繊維類に対する金属の担持性(担持力 及び担持速度)に優れ、処理前の蛋白質繊維類の表面 (風合い)や物理的特性(強度)を損なうことがない、 金属を直接担持した蛋白質繊維類からなる抗菌防臭性及 び消臭性を有する組成物を提供する。 【解決手段】 金属アンミン錯体アルカリ溶液に蛋白質

繊維類を浸漬して得る。

#### 【特許請求の範囲】

【請求項1】 金属アンミン錯体溶液に蛋白質繊維類を 浸漬することにより、金属を蛋白質繊維類に担持させ た、抗菌防臭ならびに消臭性能を有する組成物。

【請求項2】 金属アンミン錯体が、銅アンミン錯体、 亜鉛アンミン錯体、銀アンミン錯体からなる群から選ば れた少なくとも1種類である請求項1記載の抗菌防臭な らびに消臭性能を有する組成物。

【請求項3】 金属アンミン錯体アルカリ溶液に蛋白質 繊維類を浸漬することを特徴とする、金属を担持した蛋 10 白質繊維類からなる抗菌防臭ならびに消臭性能を有する 組成物の製造方法。

【請求項4】 蛋白質繊維類が、酸またはアルカリ水溶 液に浸漬しその後水洗する前処理を施された蛋白質繊維 類であることを特徴とする請求項3記載の製造方法。

【請求項5】 金属アンミン錯体が、銅アンミン錯体、 亜鉛アンミン錯体、銀アンミン錯体からなる群から選ば れた少なくとも1種類であることを特徴とする請求項3 又は4記載の製造方法。

【請求項6】 請求項1又は2記載の組成物を、綿状、 糸状、紐状、織物状、紙状、不織布、粉末状、マイクロ ビーズ状、フィルム状、スポンジ状、ハニカム状、筒状 又は塊状に成形した成型物。

#### 【発明の詳細な説明】

[0001]

【発明の属する技術分野】本発明は抗菌防臭性及び消臭 性が良好な蛋白質繊維類からなる組成物に関する。詳し くは金属を担持した蛋白質繊維類からなる抗菌防臭性及 び消臭性を有する組成物に関する。

## [0002]

【従来の技術】従来、金属を担持した蛋白質繊維類から なる組成物については数多くの報告がある。例えば、特 開昭61-258078号公報、特開平1-11106 7号公報等には、羊毛などの蛋白質繊維に、金属フタロ シアニンを担持、結合させ消臭性繊維を得ることが開示 されている。

【0003】一方、金属アンミン錯体を作用させて得る 消臭性繊維類について、特公平5-65191号公報の 報告がある。との公報には、金属アンミン錯体溶液にセ せ消臭性組成物を得ることが記載されている。

#### [0004]

【発明が解決しようとする課題】しかし、金属アンミン 錯体を蛋白質繊維類に作用させて消臭性蛋白質繊維類組 成物を得る報告は未だない。また金属を直接担持した蛋 白質繊維類からなる消臭性蛋白質繊維類組成物につい

て、炭酸銅又は水酸化銅の分散液に蛋白質繊維類を浸漬 して、蛋白質繊維類に金属を直接担持させる方法も考え られるが、この方法は蛋白質繊維類に対する金属の担持 力が弱く洗濯耐久性に問題があり、さらに担持速度が遅 50 ⑤ 洗濯による性能の低下がない。

いため生産性が悪い。また前記方法において蛋白質繊維 類に対する金属の担持力や担持速度を改善するため蛋白 質繊維類に特別な前処理等を行うと、前処理前の蛋白質 繊維類の表面 (風合い) や物理的特性 (強度) を損なう 等の問題がある。

【0005】すなわち本発明は、蛋白質繊維類に対する 金属の担持性(担持力及び担持速度)に優れ、処理前の 蛋白質繊維類の表面(風合い)や物理的特性(強度)を 損なうことがない、金属を直接担持した蛋白質繊維類か らなる抗菌防臭ならびに消臭性を有する組成物を提供す ることを課題とする。

[0006]

【課題を解決するための手段】本発明は、以下のとおり

- 金属アンミン錯体溶液に蛋白質繊維類を浸漬する ことにより、金属を蛋白質繊維類に担持させた、抗菌防 臭ならびに消臭性能を有する組成物。
- 金属アンミン錯体が、銅アンミン錯体、亜鉛アン ミン錯体、銀アンミン錯体からなる群から選ばれた少な 20 くとも1種類である上記1記載の抗菌防臭ならびに消臭 性能を有する組成物。
  - 金属アンミン錯体アルカリ溶液に蛋白質繊維類を 浸漬することを特徴とする、金属を担持した蛋白質繊維 類からなる抗菌防臭ならびに消臭性能を有する組成物の 製造方法。
  - 蛋白質繊維類が、酸またはアルカリ水溶液に浸漬 しその後水洗する前処理を施された蛋白質繊維類である ことを特徴とする上記3記載の製造方法。
  - 金属アンミン錯体が、銅アンミン錯体、亜鉛アン ミン錯体、銀アンミン錯体からなる群から選ばれた少な くとも1種類であることを特徴とする上記3又は4記載 の製造方法。
  - 上記1又は2記載の組成物を、綿状、糸状、紐 状、織物状、紙状、不織布、粉末状、マイクロビーズ 状、フィルム状、スポンジ状、ハニカム状、筒状又は塊 状に成形した成形物。

なお本発明でいう抗菌防臭性とは、黄色ブドウ状球菌等 から発生する異臭を防止するため、抗菌作用によって球 菌等から発生する異臭を防止する効果を指し、消臭性と ルロース類を浸漬して金属とセルロースとを化学結合さ 40 は硫化水素、アンモニア、各種アミン、各種メルカブタ ン、ホルマリン等の悪臭物質に対する消臭効果を指す。

- 【0007】本発明の組成物は、以下の効果を奏する。
- Φ 蛋白質繊維類に対する金属の担持力が強い。洗濯耐 久性に優れる。
- ② 処理前の蛋白質繊維類の表面(風合い)や物理的特 性(強度)を損なうことがない。
- ③ 悪臭物質に対する消臭性に優れる。
- ② 金属原子の持つ抗菌作用により、球菌等から発生す る異臭防止に優れる。

3

[0008]また、本発明の組成物の製造方法は、以下の効果を奏する。

- 蛋白質繊維類に大量の金属を担持させることができる。
- ② 金属が蛋白質繊維類に極めて速く担持する。
- ③ 製造工程中、金属アンミン錯体および金属の粉末の 脱落による汚れが発生しない。
- ❷ 連続生産が可能である。
- 5 2~④より生産性に優れる。

【0009】また、本発明の組成物を成形した成形物は、以下の効果を奏する。

◆ 金属アンミン錯体および金属の粉末の脱落による汚れが発生しないため、成形品への粉末付着による汚染が極めて少ない。

【0010】以下、本発明を詳細に説明する。銅、亜 鉛、銀等の金属の硫酸塩、塩化物、硝酸塩、リン酸塩、 酢酸塩、水酸化物等の電解質溶液に、アンモニア又はア ミン、イミン、イミダゾール等の塩基性窒素を含有する 化合物を加えると、金属アンミン錯体が生成する。一般 に金属錯体は、配位子を1種以上配位している。アンミ ン錯体も同様で、アンモニア又はアミン、イミン、イミ ダゾール等の塩基性窒素を含有する化合物を配位子とし て1種以上配位している。 金属の種類によってそれぞれ 最も安定な配位子の数があり、例えば銅錯体の場合は4 配位子が安定である。どの様な配位数でも蛋白質繊維類 とは化学結合し得るが、金属と最も安定な形になるよう なモル比以上の前記の塩基性窒素を含有する化合物を加 えると良好な金属アンミン錯体溶液が得られる。との錯 体はアルカリ性で安定で水に良く溶け、均一な金属アン ミン錯イオン溶液を与える。

【0012】こうして得られた金属アンミン錯体溶液に、繊維状、フィルム状、塊状等のウール、シルク、羽毛等の蛋白質繊維類を浸漬すると、極めて速く金属アンミン錯イオンと蛋白質繊維類とが反応して、金属アンミン錯イオンと蛋白質繊維類とが化学結合した抗菌防臭ならびに消臭性能を有する組成物を与える。この担持は極めて速く起こりしかも金属を強固に担持する。実用的に50

は30秒程度の浸漬時間で十分である。これを脱液、水洗することにより過剰の金属アンミン錯体を取り除くと、金属を強固に担持した蛋白質裁維類からなる組成物が得られる。水洗後も担持されている金属は蛋白質繊維類と強固な化学結合をしている。

【0013】蛋白質繊維類に担持させる金属としては、 銅、亜鉛、銀が挙げられる。

【0014】本発明において用いられる蛋白質繊維類としては、ウール、シルク、羽毛等、及びこれらを含有する材料が挙げられる。また形状としては繊維状、フィルム状(繊布状、不織布状)、塊状等が挙げられるが、連続生産可能な形状のものが好ましい。

【0015】本発明の組成物は、上述のとおり、金属アンミン錯体アルカリ溶液に蛋白質繊維類を浸漬することにより得ることができる。この金属アンミン錯体アルカリ溶液を用いることにより蛋白質繊維類に大量の金属を極めて速く担持させることができ、さらに蛋白質繊維類への金属の担持力が強いことから、担持された蛋白質繊維類からの金属アンミン錯体および金属の粉末の脱落による汚れが発生しない。さらに連続生産が可能であり生産速度が極めて速いことから生産性に優れる。

【0016】また、金属アンミン錯体アルカリ溶液に浸 漬する前の蛋白質繊維類(処理前の蛋白質繊維類)を酸 またはアルカリ水溶液に浸漬する前処理を施すことによ って、前処理を施さないものと比べ、担持速度が速く且 つ担持力が強い組成物を得ることもできる。これは蛋白 質を酸またはアルカリ水溶液に接触させると、蛋白質の ペプチド結合が部分的に加水分解されアミノ基とカルボ キシル基が生じるためであり、アミノ基及びカルボキシ 30 ル基と金属アンミン錯イオンとは容易に化学結合すると とから、蛋白質繊維類への金属の担持速度及び担持力も 向上する。しかし、担持速度及び担持力を向上させるた め、アミノ基及びカルボキシル基を生じさせる、つまり ペプチド結合を加水分解させると、蛋白質繊維類自体の 表面(風合い)や物理的特性(強度)が低下する傾向を 示すことから、前処理に用いる処理液は次の範囲で用い ることが好ましい。(1) 濃度50重量%以下、好まし くは濃度1~20重量%の酸水溶液、あるいは(2)濃 度50重量%以下、好ましくは濃度1~20重量%のア

【0017】以上のようにして得られた本発明の組成物は、単独あるいは他の素材と合わせ、綿状、糸状、紐状、織物状、紙状、不織布、粉末状、マイクロビーズ状、フィルム状、スポンジ状、ハニカム状、筒状又は塊状など、あらゆる形に加工成形することができる。また本発明の組成物自体は粉末による汚染が極めて少ないため、成形品への粉末付着による汚染が極めて少ない利点を有する。

50 [0018]

【実施例】以下に実施例をあげて本発明を説明するが、 本発明はこれらに限定されるものではない。なお、実施 例の組成物の各評価方法は以下による。

## 【0019】消臭性能試験

消臭性能試験の装置の概略図を図5に示す。1.5 L容 量のファスナーバッグには予め、脱気口、ガス封入口及 び検知管差込口としてコック付きコネクターを取り付け ておく。ファスナーバッグに測定試料 1 gを入れファス ナーを完全に閉め脱気した後、ポンプを用いて100p pmの硫化水素を1.5 L封入する。封入終了時間を0 10 分とし、一定時間経過ごとに北川式検知管にてガス濃度 を測定する。なお、本実施例の評価における硫化水素 は、予め100ppmに調製された硫化水素ガスボンベ を用いた。

【0020】洗濯試験

JIS L-0217 103法に準じた。

## 【0021】抗菌試験

繊維製品衛生加工協議会の定める「抗菌防臭加工製品の 加工効果評価試験マニュアル」の菌数測定法に準じた。 なお本実施例の評価における試験菌体は、黄色ブドウ状 20 球菌を用いた。

#### 【0022】実施例1

3重量%の硫酸銅水溶液に、アンモニアが硫酸銅の6倍 モルになるように25重量%濃度のアンモニア水を加え **濃紺色の銅アンミン錯体水溶液を得た。これに浴比が3** 0倍になるように、精製羊毛を室温で30秒間浸漬し、 次いで脱液、水洗、乾燥して、銅を担持した羊毛(組成 物1)を得た。得られた組成物1の評価結果は次のとお りであった。硫化水素に対する消臭性能を図1に示す。 銅含有量は組成物1中4.0重量%、洗濯試験(10 回)後の含有量は3.9重量%。抗菌試験結果は4. 2、洗濯試験(10回)後の抗菌試験結果は4.0。ま た組成物 1 は原料にあたる精製羊毛と比較し、風合いは 同程度であり、物理的物性も表1に示すとおり同等の値 を示した。

[0023]

【表1】

	精製羊毛	組成物1
乾強度 (g/d) 湿潤強度 (g/d)	1. 4 1. 2	1. 4 1. 2
伸度 (%)	30	30

[0024]

【図1】

【0025】実施例2

3重量%の硫酸亜鉛の水溶液に、アンモニアが硫酸亜鉛 の6倍モルになるように25重量%濃度のアンモニア水

れに浴比が30倍になるように、羽毛布団用の羽毛を室 温で30秒間浸漬し、次いで脱液、水洗、乾燥して亜鉛 を担持した羽毛(組成物2)を得た。得られた組成物2 の評価結果は次のとおりであった。硫化水素に対する消 臭性能を図2に示す。亜鉛含有量は組成物2中3.8重 量%、抗菌試験結果は3.7。この結果より組成物2は 十分な抗菌防臭ならびに消臭性能を有することが認めら れる。

[0026]

【図2】

【0027】実施例3

3重量%の塩化銀水溶液に、アンモニアが塩化銀の6倍 モルになるように25重量%浪度のアンモニア水を加え て銀アンミン錯体水溶液を得た。これに浴比が30倍に なるように、絹織物を室温で30秒間浸漬し、次いで脱 液、水洗、乾燥して銀を担持した絹織物(組成物3)を 得た。得られた組成物3の評価結果は次のとおりであっ た。硫化水素に対する消臭性能を図3に示す。銀含有量 は組成物3中3.9重量%、洗濯試験(10回)後の含 有量は3.8重量%。抗菌試験結果は3.8、洗濯試験 (10回)後の抗菌試験結果は3.6。この結果より組 成物3は十分な抗菌防臭ならびに消臭性能を有すること が認められる。

[0028]

【図3】

【0029】実施例4

実施例1に用いた精製羊毛の代わりに、5重量%硫酸水 溶液に浴比が30倍になるように精製羊毛を室温で10 分間浸漬し、次いで脱液、水洗、乾燥して得た前処理羊 30 毛(活性化羊毛)を用いた以外は、実施例1と同様にし て銅を担持した活性化羊毛(組成物4)を得た。得られ た組成物4の評価結果は次のとおりであった。硫化水素 に対する消臭性能を図4に示す。 銅含有量は組成物1中 4. 8重量%、洗濯試験(10回)後の含有量は4.7 重量%。抗菌試験結果は4.7、洗濯試験(10回)後 の抗菌試験結果は4.6。この結果より組成物4は十分 な抗菌防臭ならびに消臭性能を有することが認められ る。

[0030]

【図4】

[0031]

【発明の効果】本発明の製造方法によれば、該組成物の 強度や風合い等の性質を損なうことなく該組成物に大量 の金属化合物を担持させることができる。また、極めて 速く担持させることができ、また、製造工程や加工工程 で金属化合物粉末の脱落による汚れが発生しないため、 生産性の優れたものである。また、この様にして、得ら れた抗菌防臭ならびに消臭性組成物は、組成物本来の強 度や風合い等の性質は損なわれておらず、アンモニア、 を加え、無色透明の亜鉛アンミン錯体水溶液を得た。C 50 トリメチルアミン等のアルキルアミン、硫化水素、メチ

8

ルメルカブタン類等の硫黄化合物、ホルマリンなどの悪臭物質と反応して著しい消臭性能を発揮する。一方、金属原子の持つ抗菌作用により、黄色ブドウ状球菌等に対し強い抗菌性を示す。また、金属化合物は組成物に強固に担持されているため、洗濯耐久性等に優れたものである。

## 【図面の簡単な説明】

【図1】実施例1において得られた組成物1の洗濯前及び洗濯10回後の硫化水素に対する消臭性能を示す。


【図2】実施例2において得られた組成物2の硫化水素 10 に対する消臭性能を示す。 \*

\*【図3】実施例3において得られた組成物3の洗濯前及 び洗濯10回後の硫化水素に対する消臭性能を示す。

【図4】実施例4において得られた組成物4の洗濯前及 び洗濯10回後の硫化水素に対する消臭性能を示す。

【図5】消臭性能試験の装置の概略図を示す。 【符号の説明】

- 1 ファスナーバッグ
- 2 コック付きコネクター
- 3 シリコンチューブ
- 4 検知管
- 5 サンプリングポンプ



# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.